Notice of Allowability	Application No.	Applicant(s)
	09/894,214	INOMATA ET AL.
	Examiner	Art Unit
	Tung Vo	2621
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the Request for Continued Examination (RCE) filed 09/06/2006.		
2. The allowed claim(s) is/are 1-5, 28-30, 33, 21-22, 31, 34, 32, and 35 (which were renumbered as 1-15, respectively).		
<ul> <li>3.</li></ul>		
2. ☐ Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	* •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Dat	(PTO-413), e
3. ☑ Information Disclosure Statements (PTO/SB/08) Paper No./Mail Date _02/20/065 08/04/05 4. ☐ Examiner's Comment Regarding Requirement for Deposit	7. Examiner's Amenda	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

## **DETAILED ACTION**\

## Allowable Subject Matter

- 1. Claims 1-5, 28-30, 33, 21-22, 31, 34, 32, and 35 are allowed. Which were renumbered as 1-15, respectively.
- 2. The following is an examiner's statement of reasons for allowance:

The cited prior art of records does not teach a picture coding apparatus, comprising: a picture analyzing unit for analyzing source picture data to obtain coding difficulty information; a picture conversion unit for temporally converting a picture format of the source picture data to reduce temporally-redundant information, the picture conversion unit including: a bandwidth filter; a pel count converter; a frame/field decimation unit that decimates redundant frames and fields; a scan converter that converts the image signal received from the frame/field decimation unit to block scan data; and a preprocess controller that controls the frame/field decimation unit. pel count converter and scan converter based on the coding difficulty information; a coding unit for encoding picture data converted by the picture conversion unit; and a conversion controller for controlling the picture conversion unit based on the coding difficulty information to convert the picture format using at least temporal conversion.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2621

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tung Vo whose telephone number is 571-272-7340. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on 571-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tung Vo

**Primary Examiner** 

Page 3

Art Unit 2621